

# **APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office - AUG 28 1992 NEW PRIORITY DATE: SEPT 12 1995

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed AUG 28 1992

The applicant Nevada S.P.C.A.

4985 South Paradise Rd., of Las Vegas, Nevada  
Street and No. or P.O. Box No. City or Town

Nevada 89119, hereby make application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

February 26, 1988 at Las Vegas, Clark County, Nevada.

1. The source of the proposed appropriation is Underground (well)  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 1800 gal./day (0.1 cfs) second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Commercial-dog kennels & office.  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under No. 12. "Remarks") \_\_\_\_\_

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point Within the NE $\frac{1}{4}$  SW $\frac{1}{4}$  of Sec. 3,  
Describe as being within a 40-acre subdivision of public

Township 22 South, Range 61 East, M.D.M., from which the S $\frac{1}{2}$  corner of said  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

Sec. 3 bears South 35° 09' 48" East a distance of 1860.2 feet., more or less.

6. Place of use NE $\frac{1}{4}$  SW $\frac{1}{4}$  of Sec. 3, Township 22 South, Range 61 East, M.D.M.  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well w/pump & lines to kennel watering areas  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
and office.  
flumes, drilled well with pump and motor, etc.

EXISTING --costs involved are for this application and minor remodeling of property improvements.

9. Estimated cost of works.....
10. Estimated time required to construct works..... One year.  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... Water is being put to beneficial use and has been for some time.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

COMMERCIAL- Dog kennels and office for Nevada S.P.C.A.

By s/Boyd R. Urie, PLS Agent  
115 E. Reno Ave. Ste. 2  
Las Vegas, Nevada 89119

Compared bc/bc ap/se

Protested

### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 0.511 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before January 27, 1995

Proof of completion of work shall be filed before February 27, 1995

Application of water to beneficial use shall be filed on or before January 27, 1998

Proof of the application of water to beneficial use shall be filed on or before February 27, 1998

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed DEC 04 1995

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

JUL 20 1995

CANCELLED BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 27th day of January

A.D. 1993

*[Signature]*  
State Engineer

CANCELLED SEP 03 1998 BECAUSE OF FAILURE

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

*[Signature]*  
STATE ENGINEER